



STARFIRE ATF + 4

STARFIRE ATF+4 is an Automatic Transmission Fluid developed for use in all Chrysler automatic transmissions.

STARFIRE ATF +4 offers the following advantages:

- Warranty coverage: approved by Chrysler Fluids group for all Chrysler transmissions
- Correct flow and frictional properties:
- Ensures smooth operation in Chrysler equipment
- Remains fluid at low temperatures for cold weather shifting and to eliminate premature wear (especially at start-up)
- Maintains its properties at high temperatures and under extreme loads and operating conditions
- Extended service life and performance - sheer stable viscosity modifiers and additive that resist oxidation, retain frictional performance, and protects against rust and corrosion.

APPLICATIONS

STARFIRE ATF +4 is designed for use in:

- All Chrysler automatic transmissions
- Any other application where ATF+4 is recommended
- Not for use in CVT (Continuously Variable Transmissions) or DCT (Dual Clutch Transmissions) which require specialized fluids.
- Not recommended in transmissions calling for DEXRON® or MERCON® fluids

RECOMMENDATIONS/SPECIFICATIONS

STARFIRE ATF + is suitable for use in the vehicles that specify the following requirements:

- Chrysler ATF+4(MS 9602) ATF+3(MS7176-E)
- Chrysler (Mopar) ATF+2 and ATF+

TYPICAL PROPERTIES	
Viscosity: cSt @ 40°C	35.22
cSt @ 100°C	7.68
Viscosity Index	201
Pour Point, °F	-54
Specific Gravity @ 60°F (15.6°C)	0.8508
Gravity, °API	34.81
Color	Red